



# MARUTHI

## CONCRETE WORKS

Ph : 80882 69082, 98450 67139, 98450 78958, 73536 66488

E- mail : [info@maruthiconcrete.com](mailto:info@maruthiconcrete.com), website : [www.maruthiconcrete.com](http://www.maruthiconcrete.com)



**Office :** # 37, SREYAH, 1st main, 3rd stage, Mahalakshmi Nagar south,  
Batawadi, Tumkur-572103, Karnataka, India

**Works :** Next to Tumkur dairy, Behind kisan rice mill , NH-206,  
Mallasandra, Tumkur - 572107, Karnataka, India

## RCC Hume pipes- Flush Joint- NP2 class

All dimensions in mm.

S.N	Pipe size – Inner diameter	Wall thickness	OD	Length
1	150 mm	25	200	2000
2.	225 mm	25	275	2000
3.	300 mm	30	360	2000/2500
4.	450 mm	35	520	2500
5.	600 mm	45	690	2500
6.	900 mm	55	1010	2500
7.	1200 mm	70	1340	2500

## RCC Hume pipes- Flush Joint- NP3 / NP4 Class

S.N	Pipe size – Inner diameter	Wall thickness	OD	Length
1	150 mm	25	200	2000
2.	225 mm	30	285	2000
3.	300 mm	40	380	2000/2500
4.	450 mm	65	580	2500
5.	600 mm	75	750	2500
6.	900 mm	100	1100	2500
7.	1000 mm	115	1230	2500
8.	1200 mm	125	1450	2500
9.	1800 mm	180	2160	2500
10.	2000 mm	190	2380	2500



## RCC Hume pipes- Socket & Spigot Joint- NP3 / NP4 Class

S.N	Pipe size – Inner diameter	Wall thickness	OD	Length
1	150 mm	25	200	2000
2.	200 mm	30	260	2000
3.	250 mm	40	330	2000/2500
4.	300 mm	40	380	2500
5.	350 mm	55	460	2500
6.	400 mm	60	520	2500
7.	450 mm	65	580	2500
8.	600 mm	75	750	2500
9.	700 mm	85	870	2500
10.	800 mm	95	990	2500
11.	900 mm	100	1100	2500
12.	1000 mm	115	1130	2500
13.	1200 mm	125	1450	2500
14.	1400 mm	140	1680	2500
15.	2000 mm	190	2380	2500




## Precast Manholes

Precast Manhole- Eccentric cone	900 mm inner dia X 125 mm wall X 900 mm ht.
Precast Manhole- Riser	900 mm X 125 X 300 mm
Precast Manhole- Riser	900 mm X 125 x 500
Precast Manhole- Eccentric cone	1200 mm inner dia X 125 mm wall X 1000 mm ht.
Precast Manhole- Riser	1200 mm X 125 X 400 mm
Precast Manhole- Riser	1200 mm X 125 X 600 mm
Precast Manhole- Eccentric cone	1500 mm inner dia X 125 mm wall X 1200 mm ht.
Precast Manhole- Riser	1200 mm X 125 X 1000 mm

## SFRC Manhole Frame and Cover

SFRC Manhole Frame and cover	560 mm, Clear opening, Round, HD-20, 20 tonnes
SFRC Manhole Frame and cover	560 mm, Clear opening, Round, MD-10, 10 tonnes
SFRC Manhole Frame and cover	450X 450 mm, Clear opening, Square, HD-20, 20 tonnes
SFRC Manhole Frame and cover	450X 450 mm, Clear opening, Square, MD-10, 10 tonnes
SFRC Manhole Frame and cover	600 X 600 mm, Clear opening, Square, HD-20, 20 tonnes
SFRC Manhole Frame and cover	600 X 600 mm, Clear opening, Square, MD-10, 10 tonnes



## Precast Drains

S. N	Description	Dimensions
1.	Precast U drains	450 W X 450 D X 125 wall X 100 mm bottom raft X 2000 mm length
2.	Precast U drains	450 W X 600 D X 125 wall X 100 mm bottom raft X 2000 mm length
3.	Precast U drains	450 W X 750 D X 125 wall X 100 mm bottom raft X 2000 mm length
4.	Precast U drains	450 W X 900 D X 125 wall X 100 mm bottom raft X 2000 mm length

### Cable Trench / Double drain

S.N	Description	Dimensions
1.	Cable trench/ double drains	300 W X 400 W X 450 D X 125 wall X 100 mm bottom raft X 2000 mm length



## Precast Box Culverts

### Precast Box Culverts

<u>S.NO</u>	<u>Box Culvert</u>	<u>Width</u>	<u>Breadth</u>	<u>Length</u>	<u>Wall Thickness</u>
1.	Precast Box Culvert	1750 mm	575 mm	2500 mm	125 mm
2.	Precast Box Culvert	1300 mm	600 mm	2000 mm	100 mm





